

Product Datasheet - Technical Specifications



More information in our Web-Shop at ► www.meilhaus.com and in our download section.

Your contact

**Technical and commercial sales, price information,
quotations, demo/test equipment, consulting:**

Tel.: **+49 - 81 41 - 52 71-0**

FAX: **+49 - 81 41 - 52 71-129**

E-Mail: sales@meilhaus.com

Downloads:

www.meilhaus.com/en/infos/download.htm

Meilhaus Electronic GmbH | Tel. **+49 - 81 41 - 52 71-0**
Am Sonnenlicht 2 | Fax **+49 - 81 41 - 52 71-129**
82239 Alling/Germany | E-Mail sales@meilhaus.com

Mentioned company and product names may be registered trademarks of the respective companies. Prices in Euro plus VAT. Errors and omissions excepted.
© Meilhaus Electronic.

www.meilhaus.de

- Broadband, frequency up to 325GHz
- High output power
- For frequency extension of microwave signal generator

Technical Specifications

Model	Output Frequency (GHz)	Multiplying Times	Input Power (dBm Min)	Output Power (dBm Min)	Bias	Input Interface Type	Output Interface Type
AV82420	26.5...40	2	21	8	-	SMA (f)	WR28
AV82421	33...50	2	0	7	+7V,300mA; -0.7V	3.5mm (f)	WR22
AV82422	40...60	2	0	6	+7V,300mA; -0.7V	2.4mm (f)	WR19
AV82423	50...75	2	22	6	-	WR28	WR15
AV82424	75...110	3	22	4	-	WR28	WR10
AV82425	75...110	3	25	11	-	WR28	WR10
AV82405	110...70	3	21	6	-	WR19	WR06
AV82404A	170...220	2	13	-3	-	WR10	WR05
AV82404B	220...325	3	12	-7	-	WR10	WR03

Dimensions

