

## Product Datasheet - Technical Specifications



More information in our Web-Shop at ► [www.meilhaus.com](http://www.meilhaus.com)

### Your contact

Technical and commercial sales, price information,  
quotations, demo/test equipment, consulting:

Tel.: **+49 - (0)81 41 - 52 71-0**

FAX: **+49 - (0)81 41 - 52 71-129**

E-Mail: [sales@meilhaus.com](mailto:sales@meilhaus.com)

**Meilhaus Electronic GmbH**  
Am Sonnenlicht 2  
82239 Alling/Germany

Tel. **+49 - (0)81 41 - 52 71-0**  
Fax **+49 - (0)81 41 - 52 71-129**  
E-Mail [sales@meilhaus.com](mailto:sales@meilhaus.com)

Mentioned company and product names may be registered trademarks of the respective companies. Errors and omissions excepted. © Meilhaus Electronic.

# EX-5000 Series(Multi IO/ Protocol)

USB2.0, 10/100 Ethernet, RS485/232C  
 Protocol USB2.0 TCP/IP, Modbus RTU/TCP ASCII Command

## EX-5000 Series

USB/Ethernet/RS485/232&CAN I/O Modules



## Main Features: EX-5019

- Protocol USB2.0 TCP/IP, Modbus RTU/TCP ASCII Command(CAN Optioal)
- Support SB2.0,10/100Ethernet,RS485/232C(CAN Optioal)
- Support Thermocouple J, K, T, R, S, E, B, N, C Type
- Support Isolated Input Channels
- Fully Photo-Isolation 3750Vrms
- Wide Supply Voltages (10~30V)
- Built-In TVS/ESD Protection
- Burn-Out Auto Detection

## EX5000 SERIES:

- EX5015:  
12-ch RTD Input Module
- EX5017:  
16-ch Analog Input Module with 2-ch Isolated Digital Input and 1-ch Digital Output
- EX5019:  
16-ch Thermocouple Input Module With 2-ch Isolated Digital Input and 1-ch Digital Output
- EX5028:  
8-ch MOSEFT Output and 24-ch Isolated Digital Input Module
- EX5029:  
16 Isolated MOSFET Output and 16-ch Isolated Digital Input Module
- EX5060:  
10-ch Relay and 12-ch Isolated Digital Input Module

