

Product Datasheet - Technical Specifications



More information in our Web-Shop at > www.meilhaus.com

Your contact

Technical and commercial sales, price information, quotations, demo/test equipment, consulting:

Tel.:	+49 - (0)81 41 - 52 71-0
FAX:	+49 - (0)81 41 - 52 71-129
E-Mail:	sales@meilhaus.com

Meilhaus Electronic GmbH Tel. Am Sonnenlicht 2 82239 Alling/Germany Mentioned company and product names may be registered trademarks of the respective companies. Errors and omissions excepted. © Meilhaus Electronic.

+49 - (0)81 41 - 52 71-0 Fax +49 - (0)81 41 - 52 71-129 E-Mail sales@meilhaus.com

www.meilhaus.com



4 inch pins for MR06, MR07, MR08, includes 1 pair of pins

P/N: MR-PINS4

Copyright

© 2019, FLIR Systems, Inc.

All rights reserved worldwide. Names and marks appearing herein are either registered trademarks or trademarks of FLIR Systems and/or its subsidiaries. All other trademarks, trade names or company names referenced herein are used for identification only and are the property of their respective owners.

Document identity

Publ. No.: MR-PINS4 Commit: 55931 Language: en-US Modified: 2019-02-25 Formatted: 2019-07-31

Website

http://www.flir.com

Customer support

http://support.flir.com

Disclaimer

Specifications subject to change without further notice. Camera models and accessories subject to regional market considerations. License procedures may apply. Products described herein may be subject to US Export Regulations. Please refer to exportquestions@flir.com with any questions.



General description	
Part number	MR-PINS4
Part name	4 inch pins for MR06, MR07, MR08, includes 1 pair of pins

FLIR's new insulated pins are smaller in diameter—requiring minimal force to drive the pins into a surface-resulting in less impact to the material. The sandblasted, hardened-steel pins with a single-piece design prevent bending and create an improved bonding surface for the abrasion-resistant insulation. The insulation extends all the way to the connection to the probe, so even if you drive the pins all the way into the wall cavity, the drywall will not affect the measurement.

- Fits FLIR's hammer, wall cavity and combo probes.
- Unibody construction rather than two piece.
- Smaller-diameter pins.
- Sandblasted hardened steel.
- Insulated with abrasion-resistant coating.

Replacement pin set for FLIR MR06, MR07, and MR08.

Meter data	
Suitable accessory	MR06, MR07, MR08
Included insulated pin pairs and length	1 pair of 4 in. (101 mm)
Warranty	https://www.flir.com/testwarranty
Meter physical data	
Weight	0.02 kg (0.05 lb.)
Dimensions (H \times W \times L)	8 mm \times 8 mm \times 127 mm (0.32 in. \times 0.32 in. \times 5 in.)
Material	Stainless steel
Color	Black insulation
Shipping information	
Packaging type	Plastic bag
Packaging contents	1 pair of 4 in. insulated pins
Packaging weight	0.172 kg (0.4 lb.)
Packaging dimensions $(H \times W \times L)$	1 cm \times 2.5 cm \times 13 cm (0.4 in. \times 1 in. \times 5.2 in.)
Inner carton weight	2 kg (4.4 lb.)
Inner carton dimensions $(H \times W \times L)$	13 cm \times 19 cm \times 38 cm (5.2 in. \times 7.5 in. \times 15 in.)
Inner carton quantity (bag)	100
Master carton weight	8 kg (17.7 lb.)
Master carton dimensions (H \times W \times L)	28 cm \times 40 cm \times 40 cm (11 in. \times 15.8 in. \times 15.8 in.)
Master carton quantity	400



4 inch pins for MR06, MR07, MR08, includes 1 pair of pins

P/N: MR-PINS4

© 2019, FLIR Systems, Inc. #MR-PINS4; r. 55931; en-US

Shipping information		
EAN-13	0793950372043	
UPC-12	93950372043	
Country of origin	China	
Tariff code	9025900000	
Technical support		
Website	http://support.flir.com	

© 2015, FLIR Systems, Inc. All rights reserved worldwide. No part of this drawing may be reproduced, stored in a retrieval system, or transmitted in any form, or by any means, electronic, mechanical, photocopying, recording, or otherwise, without written permission from FLIR Systems, Inc. Specifications subject to change without further notice. Dimensional data is based on nominal values. Products may be subject to regional market considerations. License procedures may apply. Product may be subject to US Export Regulations. Please refer to exportquestions@flir.com with any questions. Diversion contrary to US law is prohibited

