

Product Datasheet - Technical Specifications



More information in our Web-Shop at ► www.meilhaus.com

Your contact

Technical and commercial sales, price information,
quotations, demo/test equipment, consulting:

Tel.: **+49 - (0)81 41 - 52 71-0**

FAX: **+49 - (0)81 41 - 52 71-129**

E-Mail: sales@meilhaus.com

Meilhaus Electronic GmbH
Am Sonnenlicht 2
82239 Alling/Germany

Tel. **+49 - (0)81 41 - 52 71-0**
Fax **+49 - (0)81 41 - 52 71-129**
E-Mail sales@meilhaus.com

Mentioned company and product names may be registered trademarks of the respective companies. Errors and omissions excepted. © Meilhaus Electronic.

P/N: TA03-KIT

Copyright

© 2020, FLIR Systems, Inc.

All rights reserved worldwide. Names and marks appearing herein are either registered trademarks or trademarks of FLIR Systems and/or its subsidiaries. All other trademarks, trade names or company names referenced herein are used for identification only and are the property of their respective owners.

Document identity

Publ. No.: TA03-KIT
 Commit: 64522
 Language:
 Modified: 2020-03-17
 Formatted: 2020-06-30

Website

<http://www.flir.com>

Customer support

<http://support.flir.com>

Disclaimer

Specifications subject to change without further notice. Camera models and accessories subject to regional market considerations. License procedures may apply. Products described herein may be subject to US Export Regulations. Please refer to exportquestions@flir.com with any questions.



Part number	TA03-KIT
Part name	NiMH Rechargeable Battery Kit
Kit description	Rechargeable battery kit for the CM174 Imaging 600A AC/DC Clamp Meter with extended battery life
Kit contents	The TA03-KIT includes 8 NiMH rechargeable batteries (2 sets), Charger and AC adapter with international AC inlet clips for wall outlets and a quick-start guide. The following AC inlet clips are included: N.America, Europe, UK, Australia, Korea.
Battery	
Type	NiMH rechargeable, AAA
Output	1.2V, 900mAh, 1.1 Wh
Battery life	Approximately 11 hours constant use in CM mode or 4 hours constant use in IGM mode
Charger and AC Adapter	
AC Adapter Input	100-240VAC, 50/60Hz, 0.4A max
AC Adapter Output	9-12VDC
Charger Input	12V DC, 0.5A
Charger Output	1.2V x 4, 250 mA DC
Charge indicator	Charging, Fully Charged, Bad/ Incorrect Battery
General	
Warranty	https://www.flir.com/testwarranty
Certifications	
Safety standards compliance	CE EMC: EN 61326:2013, EN 61000-3-2:2014, EN 61000-3-3:2013 CE LVD: IEC 61010:2010 (Ed. 3) US Safety: UL 61010-1:2012 (3rd Edition), CAN Safety: CAN/CSA-C22.2 No. 61010-1:2012 (3rd Edition) FCC: FCC Part 15 Subpart B:2016
Physical data	
Dimensions (H x W x L)	15.5 x 12.8 x 8 (cm) /// 6.1 x 5.1 x 3.2 (in)
Weight	0.5 kg (1 lb)
Shipping information	
UPC	793950377314
EAC	0793950377314



NiMH Rechargeable Battery Kit

P/N: TA03-KIT

© 2020, FLIR Systems, Inc.

#TA03-KIT; r. 64522;

Shipping information	
Country of origin	Taiwan
Tariff code	8507.30.8090

Technical support	
Website	http://support.flir.com

Compatible with the following products:

- CM174; FLIR CM174: Imaging 600A AC/DC Clamp Meter with IGM
- CM42; FLIR CM42: Professional 400A TRMS AC Clamp Meter
- CM44; FLIR CM44: Professional 400A TRMS AC Clamp Meter + Type K
- CM46; FLIR CM46: Professional 400A TRMS AC/DC Clamp Meter + Type K
- CM55; FLIR CM55: Flex Clamp Meter with Bluetooth
- CM57; FLIR CM57: Large Flex Clamp Meter with Bluetooth
- CM72; FLIR CM72: Commercial 600A AC Clamp Meter
- CM74; FLIR CM74: Commercial 600A AC/DC Clamp Meter
- CM78; FLIR CM78: True RMS Clamp/DMM with infrared thermometer and Bluetooth METERLiNK
- CM82; FLIR CM82: 600 Amp Power Clamp Meter with VFD Mode
- CM83; FLIR CM83: 600 A True RMS Power Clamp Meter
- CM85; FLIR CM85: 1000 Amp Power Clamp Meter with VFD Mode and METERLiNK
- DM62; FLIR DM62: TRMS Digital Multimeter with Non-contact Voltage
- DM64; FLIR DM64: HVAC TRMS Digital Multimeter with Temperature
- DM66; FLIR DM66: Electrical and Field Service TRMS Multimeter with VFD Mode
- DM90; FLIR DM90
- DM92; FLIR DM92: Industrial Digital Multimeter with LoZ and VFD Mode
- DM93; FLIR DM93: True RMS Industrial Multimeter
- IM75; FLIR IM75: Insulation Tester and Digital MultiMeter with VFD Mode and METERLiNK