

## Product Datasheet - Technical Specifications



More information in our Web-Shop at ► [www.meilhaus.com](http://www.meilhaus.com)

### Your contact

Technical and commercial sales, price information,  
quotations, demo/test equipment, consulting:

Tel.: **+49 - (0)81 41 - 52 71-0**

FAX: **+49 - (0)81 41 - 52 71-129**

E-Mail: [sales@meilhaus.com](mailto:sales@meilhaus.com)

**Meilhaus Electronic GmbH**  
Am Sonnenlicht 2  
82239 Alling/Germany

Tel. **+49 - (0)81 41 - 52 71-0**  
Fax **+49 - (0)81 41 - 52 71-129**  
E-Mail [sales@meilhaus.com](mailto:sales@meilhaus.com)

Mentioned company and product names may be registered trademarks of the respective companies. Errors and omissions excepted. © Meilhaus Electronic.

## P/N: TA42

### Copyright

© 2020, FLIR Systems, Inc.

All rights reserved worldwide. Names and marks appearing herein are either registered trademarks or trademarks of FLIR Systems and/or its subsidiaries. All other trademarks, trade names or company names referenced herein are used for identification only and are the property of their respective owners.

### Document identity

Publ. No.: TA42

Commit: 64528

Language: en-US

Modified: 2020-03-17

Formatted: 2020-03-18

### Website

<http://www.flir.com>

### Customer support

<http://support.flir.com>

### Disclaimer

Specifications subject to change without further notice. Camera models and accessories subject to regional market considerations. License procedures may apply. Products described herein may be subject to US Export Regulations. Please refer to [exportquestions@flir.com](mailto:exportquestions@flir.com) with any questions.



General description	
Part number	TA42
Part name	Belt Clip
Use your clamp meter while on-the-go with the sturdy TA42 Belt Clip. Designed for use with the FLIR CM174, CM74, and CM72 Clamp Meters. The low-profile clip securely attaches to the meter's tripod mount.	

General information	
Warranty	<a href="https://www.flir.com/testwarranty">https://www.flir.com/testwarranty</a>

Meter physical data	
Screw size	¼"-20 UNC
Weight	20 g (0.71 oz.) approx.
Dimensions	44 × 93.70 mm (1.7 × 3.7 in.)
Color	Black

Shipping information	
Packaging, type	Color, retail box
Packaging, Contents	TA42 Belt Clip and Instruction sheet
Each Weight	0.2 kg
Each Dimensions (H × W × L)	16.8 × 7.8 × 2.6 cm
Master Carton Weight	5.5 kg
Master Carton Dimensions (H × W × L)	20.3 × 29.8 × 36.4 cm
Master Carton Quantity	24 (inner of 12)
EAN-13	0793950374207
UPC-12	793950374207
Country of Origin	China
Tariff Code	9030908822

Technical support	
Website	<a href="http://support.flir.com">http://support.flir.com</a>

### Compatible with the following products:

- CM174; FLIR CM174: Imaging 600A AC/DC Clamp Meter with IGM
- CM275; FLIR CM275: Industrial Thermal Imaging Clamp Meter with Datalogging, Wireless Connectivity, and IGM
- CM72; FLIR CM72: Commercial 600A AC Clamp Meter
- CM74; FLIR CM74: Commercial 600A AC/DC Clamp Meter
- DM284; FLIR DM284: Imaging Multimeter with IGM



## TA42 Belt Clip

---

**P/N: TA42**

© 2020, FLIR Systems, Inc.








#TA42; r. 64528; en-US

- DM285; FLIR DM285: Industrial Thermal Imaging Multimeter with Datalogging, Wireless Connectivity, and IGM
- DM90; FLIR DM90
- DM91; FLIR DM91: Industrial TRMS Multimeter with Datalogging and Wireless Connectivity
- DM92; FLIR DM92: Industrial Digital Multimeter with LoZ and VFD Mode
- DM93; FLIR DM93: True RMS Industrial Multimeter

FLIR TA42

Weight: 20g (Approx)

Tripod screw size and type: 1/4"-20 UNC



TITLE:

FLIR TA42 Belt\_Clip

DWG NO.

A4

SCALE:0:1