

## Product Datasheet - Technical Specifications



More information in our Web-Shop at ► [www.meilhaus.com](http://www.meilhaus.com)

### Your contact

Technical and commercial sales, price information,  
quotations, demo/test equipment, consulting:

Tel.: **+49 - (0)81 41 - 52 71-0**

FAX: **+49 - (0)81 41 - 52 71-129**

E-Mail: [sales@meilhaus.com](mailto:sales@meilhaus.com)

**Meilhaus Electronic GmbH**  
Am Sonnenlicht 2  
82239 Alling/Germany

Tel. **+49 - (0)81 41 - 52 71-0**  
Fax **+49 - (0)81 41 - 52 71-129**  
E-Mail [sales@meilhaus.com](mailto:sales@meilhaus.com)

Mentioned company and product names may be registered trademarks of the respective companies. Errors and omissions excepted. © Meilhaus Electronic.

## P/N: TA50

### Copyright

© 2020, FLIR Systems, Inc.

All rights reserved worldwide. Names and marks appearing herein are either registered trademarks or trademarks of FLIR Systems and/or its subsidiaries. All other trademarks, trade names or company names referenced herein are used for identification only and are the property of their respective owners.

### Document identity

Publ. No.: TA50

Commit: 64532

Language: en-US

Modified: 2020-03-17

Formatted: 2020-03-18

### Website

<http://www.flir.com>

### Customer support

<http://support.flir.com>

### Disclaimer

Specifications subject to change without further notice. Camera models and accessories subject to regional market considerations. License procedures may apply. Products described herein may be subject to US Export Regulations. Please refer to [exportquestions@flir.com](mailto:exportquestions@flir.com) with any questions.



Part number	TA50
Part description	Magnetic Hanging Strap for DM9x, IM7x Series
<ul style="list-style-type: none"> <li>• Hang your meter on metal electrical cabinets—allowing you to focus on your testing.</li> <li>• Magnetic strip designed for DM9x series multimeters or any meter that accepts a 1" (25 mm) strap.</li> <li>• Durable nylon strap.</li> <li>• Securely fastens to the meter with an integrated mounting tab.</li> <li>• 2 year warranty.</li> </ul>	
<b>Meter data</b>	
Suitable main unit	DM93 (IM75, DM92)
Warranty	<a href="https://www.flir.com/testwarranty">https://www.flir.com/testwarranty</a>
<b>Certifications</b>	
Certifications	N/A
<b>Meter physical data</b>	
Weight	0.03 kg
Dimensions (H x W x L)	29.8 cm x 3.33 cm x 0.48 cm
Material	Nylon strap, rubber tab enclosing the magnet
Color	Black



## Magnetic Hanging Strap for DM9x, IM7x Series

P/N: TA50

© 2020, FLIR Systems, Inc.

#TA50; r. 64532; en-US

Shipping information	
Packaging type	Color box
Packaging contents	Manual, TA50
Packaging weight	0.06 kg
Packaging dimensions (H x W x L)	7.62 cm x 2.54 cm x 16.83 cm
Carton weight	4 kg
Carton dimensions	14.5" x 13" x 8"
Carton quantity	48
EAN-13	0793950377505
UPC-12	793950377505
Country of origin	Taiwan
Tariff code	9027808090
Technical support	
Website	<a href="http://support.flir.com">http://support.flir.com</a>

### Compatible with the following products:

- DM166; FLIR DM166: Thermal Imaging TRMS Multimeter with IGM
- DM284; FLIR DM284: Imaging Multimeter with IGM
- DM285; FLIR DM285: Industrial Thermal Imaging Multimeter with Datalogging, Wireless Connectivity, and IGM
- DM62; FLIR DM62: TRMS Digital Multimeter with Non-contact Voltage
- DM64; FLIR DM64: HVAC TRMS Digital Multimeter with Temperature
- DM66; FLIR DM66: Electrical and Field Service TRMS Multimeter with VFD Mode
- DM90; FLIR DM90
- DM91; FLIR DM91: Industrial TRMS Multimeter with Datalogging and Wireless Connectivity
- DM92; FLIR DM92: Industrial Digital Multimeter with LoZ and VFD Mode
- DM93; FLIR DM93: True RMS Industrial Multimeter
- IM75; FLIR IM75: Insulation Tester and Digital MultiMeter with VFD Mode and METERLiNK