


# **Product Datasheet - Technical Specifications**



More information in our Web-Shop at ▶ www.meilhaus.com

#### Your contact

Technical and commercial sales, price information, quotations, demo/test equipment, consulting:

Tel.: +49 - (0)81 41 - 52 71-0

E-Mail: sales@meilhaus.com



## PROFITEST H+E EXPERT CHECK

Test Instrument and Function Tester for AC Charging Points per IEC 61851-1, VDE 0122-1

3-447-179-03 1/9.23

- Unique function tester for AC charging points
- Also for AC charging points with permanently attached cable
- Intuitive operation
- Simple test sequence saves time and money
- Results appear at the display in plain text
- Error display with results for forwarding to service personnel
- Easy fault simulation by simply pressing a key, e.g. normative interruption of PE with indication of tripping time < 100 ms</li>
- Communication evaluation (PWM signal)
- Measuring inputs and earthing contact socket for use in combination with instruments from the PROFITEST MF series or the PROFITEST MASTER IQ series for testing protective devices at charging points (electrical testing)
- USB port for charging the battery



## **Applications**

The number of charging points that don't function reliably in the long term is also increasing along with steady expansion of the AC charging infrastructure. If the charging process can't be started, malfunctioning of the AC charging point is usually assumed. As a result, the operator confidently seeks the help of a specialist, namely an e-mobility electrician.

Malfunctions can be diagnosed quickly and intuitively in accordance with DIN VDE 0122-1 using the unique PROFITEST H+E EXPERT CHECK function tester for AC charging points.

In addition to function tests, normative testing of the effectiveness of protective measures, i.e. electrical testing and testing of personal protection, can also be executed with an installation tester from the PROFITEST MF series or the PROFITEST MASTER IQ series. You save time and money as a result.

The PROFITEST H+E EXPERT CHECK is the ideal companion for all e-mobility electricians and is used for AC charging points in charging mode 3 with a type 2 socket, or with a permanently installed type 2 cable.

## **Features**

- Testing of AC charging points in charging mode 3
- Vehicle simulation (CP): simulation of an electric vehicle's charging socket
- Connection to the charging socket or the type 2 plug of an AC charging point
- Cable simulation (PP): testing of 13, 20, 32 and 63 A cables, and testing for "no cable connected"
- Testing of vehicle states A, B and C, phases, tOFF (state E), rotating field and duty cycle, as well as frequency
- Fault simulation: diode test, CP-PE short-circuit (state E) and PE fault (ground fault with display of tripping time)
- PWM signal evaluation (communication): display of positive and negative PWM voltages
- Electrical testing of charging points in combination with instruments from the PROFITEST MF or PROFITEST MASTER IQ series:
  - Continuity of the conductors (low-resistance measurement)
  - Insulation resistance
  - Testing of residual current circuit breakers (RCD/R)
  - Sensor testing, 6 mA RDC-DD/RCMB
  - Fault loop impedance (loop resistance), internal system resistance

Gossen Metrawatt GmbH

## PROFITEST H+E EXPERT CHECK

Test Instrument and Function Tester for AC Charging Points per IEC 61851-1, VDE 0122-1

## **Technical Data**

## **Mechanical Design**

Housing  $240 \times 115 \times 60 \text{ mm}$ 

Weight 1180 g
Protection IP 21

Display Monochrome

#### **Ambient Conditions**

Operating tempera-

-5 ... +45 °C

ture

Storage temperature -5 ... +60 °C

Relative humidity Max. 75%, non-condensing,

no condensation allowed

Elevation Max. 2000 m

## **Power Supply**

Internal rechargeable battery (charging via USB port)

Type 18650H-2600

Nominal voltage 3.7 V mAh 2600 mAh Energy 9.62 Wh

Protective function PCB/IC protection

Charging current Max. 1 C

Discharge current Max. 5.2 A (2 C)

Internal resistance  $180 \text{ m}\Omega$ Weight 48 g

Dimensions (dia. x L) 18 × 69 mm

## **Electrical Safety**

Measuring category CAT III, 300 V

Pollution degree 2
Protection class II

## **Interface and Memory**

Interface Micro USB port (for charging the

battery)

### **Characteristic Values**

## **Test Analysis Standard**

AC DIN EN IEC 61851-1

VDE 0122-1

Electric vehicle conductive charging system -

Part 1: General requirements

Measurement of voltage values in all three phases and N

#### **Test Parameters**

Cables 13 A

20 A 32 A 63 A

No cable connected (N.C.)

Vehicle states State A, state B, state C

Phases tOFF (state E) Rotary field Duty cycle Frequency

Fault simulation Diode test

CP-PE short-circuit (state E)

PE fault (ground fault) with display of

tripping time

#### **Measuring Connections**

Earthing contact Max. 10 A, 230 V<sub>AC</sub>

socket Fuse: T 10 A, 250 V, 20 × 5 mm

Measuring inputs 4 mm

L1, L2, L3, N, PE, CP

CP signal output  $\pm$  12 V, PWM signal

Gossen Metrawatt GmbH

## PROFITEST H+E EXPERT CHECK

Test Instrument and Function Tester for AC Charging Points per IEC 61851-1, VDE 0122-1

### **Product Standards**

The tester has been manufactured in accordance with the following safety regulations:

IEC 61010-1 Safety requirements for electrical EN 61010-1 equipment for measurement, con-VDE 0411-1 trol and laboratory use –

General requirements

EN 60529 Test instruments and test proce-

VDE 0470, part 1 dures

Degrees of protection provided by

enclosures (IP code)

DIN EN 61326-1 Electrical equipment for measure-VDE 0843-20-1 ment, control and laboratory use –

EMC requirements –

Part 1: General requirements

DIN EN IEC 61851-1 Electric vehicle conductive VDE 0122-1 charging system –

Part 1: General requirements

DIN EN 62196-1 Plugs, socket-outlets, vehicle convented and vehicle inlets – Convented and ve

ductive charging of electric vehicles
- Part 1: General requirements

## **Scope of Delivery**

- 1 PROFITEST H+E EXPERT CHECK (M525R)
- 1 Charging cable (micro USB plug)
- 1 Operating instructions

#### **Order Information**

DescriptionArticle NumberPROFITEST H+E EXPERT CHECKM525R

© Gossen Metrawatt GmbH

Prepared in Germany • Subject to change, errors excepted • PDF version available on the Internet

All trademarks, registered trademarks, logos, product names and company names are the property of their respective owners.

