

### **Product Datasheet - Technical Specifications**



More information in our Web-Shop at **www.meilhaus.com** and in our download section.

#### Your contact

Technical and commercial sales, price information, quotations, demo/test equipment, consulting:

Tel.: +49 - 81 41 - 52 71-0

FAX: +49 - 81 41 - 52 71-129

E-Mail: sales@meilhaus.com

Downloads:

www.meilhaus.com/en/infos/download.htm

Meilhaus Electronic GmbH | Am Sonnenlicht 2 82239 Alling/Germany

 Tel.
 +49 - 81 41 - 52 71-0

 Fax
 +49 - 81 41 - 52 71-129

 E-Mail
 sales@meilhaus.com

Mentioned company and product names may be registered trademarks of the respective companies. Prices in Euro plus VAT. Errors and omissions excepted.
© Meilhaus Electronic.













### RoHS Compliant



## PX-809

### LP PCIe 1+1xRS232 POS 1A IDE

### "SFRIAL CARDS ENGINEERED TO EXCEED EXPECTATIONS"



#### **Features**

- 1+1 port RS232
- PCI Express x1, x4, x8 x16 lane slots socket
- 128 Byte Tx and 128 Byte Rx FIFOs
- Up to 921,600 Baud
- DB9 connector (9 Pin Male)
- Drivers for all popular operating systems
- Sample Programs, Test & Terminal software
- Lifetime Support
- Lifetime Warranty (registration required)

#### **Options**



PX-809: LP PCle 1+1xRS232 POS 1A IDE

#### Description


Low profile PCI Express Card providing two powered RS232 serial ports. Board gives first serial port on the bracket, with a second serial port on a fly lead. Data transfer rates up to 921,600 baud rates and the 128 byte deep transmit and 128 byte receive FIFOS, coupled with 1Mbit/s line drivers deliver uncompromising performance on your PC. Up to 1 Amp selectable power provided through pins 1 and 9 to attached peripherals. The extra power necessary is supplied to the PCI express card directly from the PC power supply unit through a Serial ATA SATA power connector: a neat, clean and green solution. Drivers for Windows 32 bit and 64 bit Operating Systems including Windows 2000, XP, Server 2003, Vista, Server 2008, Windows 7 and Windows 8.

#### Software

Microsoft signed drivers (easy installation & robust operation) for:

- Windows 7 32 bit 64 bit Editions
- Windows Server 2008 32 bit 64 bit Editions
- Windows Vista 32 bit 64 bit editions
- Windows Server 2003 32 bit 64 bit Editions

As well as: full product documentation, a thorough troubleshooting guide and terminal software. Detailed sample source code for many popular programming languages. Further OS support on next page.







ORDER Description LP PCIe 1+1xRS232 POS 1A IDE

Code PX-809



# LP PCle 1+1xRS232 POS 1A IDE

PX-809: Full Specification

Ports    Pin 1   DCD/12V/GND   Pin 2   RXD   Pin 3   TXD   Pin 5   Pin 5   GND   Pin 6   Pin 9   Pin 6   Pin 9   Pin 7   RIS   Pin 9   RI/12V/SV   Pin 6   Pin 9   Pin	DB9 Connector - 9 Pin Male  128 RX FIFO + 128 TX FIFO  EIA - RS232 Standard  1 port RS232 on fly lead  921,600  5,6,7 or 8  Odd, Even, None, Mark or Space  1, 1.5 or 2  RTS/CTS, DTR/DSR  Point to Point  Microsoft Windows 7 32 bit 64 bit Editions  Windows Server 2008 32 bit 64 bit Editions  Windows Vista 32 bit 64 bit Editions  Windows Server 2003 32 bit 64 bit Editions  Windows Server 2003 32 bit 64 bit Editions  Windows XP 32 bit 64 bit Editions  Windows XP 32 bit 64 bit Editions  PCI Express x1, x4, x8 x16 lane slots
Pin 1 Pin 2 RXD Pin 3 TXD Pin 4 DTR Pin 5 GND Pin 6 DSR Pin 7 RTS Pin 9 RI/12V/SV Pin 9 RI/12V/SV Pin 9 Data Bits Parity Stop Bits Flow Control Tx/Rx Modes  Interface    Description of Pin 9 P	128 RX FIFO + 128 TX FIFO EIA - RS232 Standard 1 port RS232 on fly lead  921,600 5,6,7 or 8 Odd, Even, None, Mark or Space 1, 1.5 or 2 RTS/CTS, DTR/DSR Point to Point  Microsoft Windows 7 32 bit 64 bit Editions Windows Server 2008 32 bit 64 bit Editions Windows Vista 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions
Pin 3 TXD Pin 4 DTR Pin 5 GND Pin 6 DSR Pin 7 RTS Pin 8 CTS Pin 9 RI/12V/SV  Pin 6 DSR Pin 7 RTS Pin 8 DTS Pin 9 RI/12V/SV  Port Settings  Baud Rate  Data Bits Parity Stop Bits Flow Control Tx/Rx Modes  Interface  OS Compatibility  BUS  Approvals  Other Approvals	EIA - RS232 Standard  1 port RS232 on fly lead  921,600  5,6,7 or 8  Odd, Even, None, Mark or Space  1, 1.5 or 2  RTS/CTS, DTR/DSR  Point to Point  Microsoft Windows 7 32 bit 64 bit Editions Windows Server 2008 32 bit 64 bit Editions Windows Vista 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions
Pin 5 GND Pin 6 DSR Pin 7 RTS Pin 8 CTS Pin 9 RI/12V/SV  Port Settings  Parity Stop Bits Flow Control Tx/Rx Modes  Interface  Operating Distance Cable  Operating Distance Cable  Operating Distance Cable  Operating Distance Cable  Oserating Distance Cable  Data Bits Parity Stop Bits Flow Control Tx/Rx Modes  Oserating Distance Cable  Data Bits Parity Stop Bits Flow Control Tx/Rx Modes  Oserating Distance Cable  Oserating Distance Cable  Oserating Distance Cable  Other Approvals	1 port RS232 on fly lead  921,600  5,6,7 or 8 Odd, Even, None, Mark or Space 1, 1.5 or 2 RTS/CTS, DTR/DSR Point to Point  Microsoft Windows 7 32 bit 64 bit Editions Windows Server 2008 32 bit 64 bit Editions Windows Vista 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions
Pin 7 RTS Pin 8 CTS Pin 9 RI/12V/SV Pin 6 Pin 9  Baud Rate  Data Bits Parity Stop Bits Flow Control Tx/Rx Modes  Interface  OS Compatibility  BUS  Approvals  Other Approvals	921,600 5,6,7 or 8 Odd, Even, None, Mark or Space 1, 1.5 or 2 RTS/CTS, DTR/DSR Point to Point  Microsoft Windows 7 32 bit 64 bit Editions Windows Server 2008 32 bit 64 bit Editions Windows Vista 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions
Pin 9 RI/12V/SV Pin 6 Pin 9  Port Settings  921,600  > > > > > > > > > > > > > > > > > >	5,6,7 or 8 Odd, Even, None, Mark or Space 1, 1.5 or 2 RTS/CTS, DTR/DSR Point to Point  Microsoft Windows 7 32 bit 64 bit Editions Windows Server 2008 32 bit 64 bit Editions Windows Vista 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions
Data Bits Parity Stop Bits Flow Control Tx/Rx Modes  Interface  OS Compatibility  BUS  Approvals  Other Approvals	5,6,7 or 8 Odd, Even, None, Mark or Space 1, 1.5 or 2 RTS/CTS, DTR/DSR Point to Point  Microsoft Windows 7 32 bit 64 bit Editions Windows Server 2008 32 bit 64 bit Editions Windows Vista 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions
Parity Stop Bits Flow Control Tx/Rx Modes  Interface  OS Compatibility  BUS  Approvals  Other Approvals	Odd, Even, None, Mark or Space  1, 1.5 or 2 RTS/CTS, DTR/DSR Point to Point  Microsoft Windows 7 32 bit 64 bit Editions Windows Server 2008 32 bit 64 bit Editions Windows Vista 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions
baud  Stop Bits Flow Control Tx/Rx Modes  Interface  OS Compatibility  BUS  Approvals  Other Approvals	1, 1.5 or 2 RTS/CTS, DTR/DSR Point to Point  Microsoft Windows 7 32 bit 64 bit Editions Windows Server 2008 32 bit 64 bit Editions Windows Vista 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions
Flow Control Tx/Rx Modes  OS Compatibility  BUS  Approvals  Other Approvals	RTS/CTS, DTR/DSR Point to Point  Microsoft Windows 7 32 bit 64 bit Editions Windows Server 2008 32 bit 64 bit Editions Windows Vista 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions
Interface  OS Compatibility  BUS  Approvals  Other Approvals	Point to Point  Microsoft Windows 7 32 bit 64 bit Editions Windows Server 2008 32 bit 64 bit Editions Windows Vista 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions
Interface  OS Compatibility  BUS  Approvals  Other Approvals	Microsoft Windows 7 32 bit 64 bit Editions Windows Server 2008 32 bit 64 bit Editions Windows Vista 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions
Approvals  Approvals  Other Approvals	Windows Server 2008 32 bit 64 bit Editions Windows Vista 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions
Approvals  Approvals  Other Approvals	Windows Server 2008 32 bit 64 bit Editions Windows Vista 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions
Approvals Other Approvals	Windows Vista 32 bit 64 bit Editions Windows Server 2003 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions
Approvals Other Approvals	Windows Server 2003 32 bit 64 bit Editions Windows XP 32 bit 64 bit Editions
Approvals Other Approvals	
Approvals Other Approvals	PCI Express x1, x4, x8 x16 lane slots
7 (5) 51 5 4 6 15	
Microsoft Approval	AEO C-TPAT Microsoft Certified Gold Partner WEEE RoHS EMC: CE TAA
	Windows Server 2008 32 bit 64 bit editions Windows Vista 32 bit 64 bit editions
	Windows Vista 32 bit 64 bit editions Windows Server 2003 32 bit 64 bit editions
	Windows XP 32 bit 64 bit editions
General PCB Layers	4
Power Consumption	n 400mA @ 3.3V
Weight	awaiting
Size	awaiting
Box Content Packaging	Installation CD including manual, Microsoft signed drivers & utilities
Card	LP PCIe 1+1xRS232 POS 1A IDE
	1 port RS232 on fly lead
Product Support Warranty	Lifetime (online registration required)
Support	Lifetime Web, Email and Phone Support from fully qualified, friendly
	staff who work in and alongside the Product Development Team
Additional OEM option	Available for bulk buy OEM
, talantiana	
Elektra O5	Manufactured in the UK by Brainboxes Winner 2005 European Electronics Industry Awards "Manufacturer of the Year"
WINNER  Was the state of the Year	
Manufacturer of the Year  Made in the UK	Brainboxes operate a "Perfect Fit Custom Design" policy for volume